



## Product environmental attributes - THE ECO DECLARATION

Brand *	EIZO	Logo
Company name *	EIZO NANAO CORPORATION	<b></b>
Contact information *	Environment, Safety & EMC Section, Quality Assurance Department	EIZO
Internet site *	http://www.eizo.com/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	LCD Monitor		
Commercial name *	56cm (22.0inch) class Color LCD Monitor		
Model number *	FlexScan S2202W		
Issue date *	18 September 2008		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	FlexScan S2202W		
Issue date *	18 September 2008	Logo	<b>♦</b> EIZO

Product e	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> )			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			$\boxtimes$
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>EU 76/769/EEC</i> )			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			X
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			$\boxtimes$
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			$\boxtimes$
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.	$\boxtimes$		
P6	Treatment information			_
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	FlexScan S2202W		
Issue date *	18 September 2008	Logo	<b>EIZO</b>

Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				_
P7.1*		s that have to be treated separately are easily separable				
P7.2*	Plastic materials	aterials in covers/housing have no surface coating.			Ħ	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				$\overline{\Box}$	
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5			or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					$\boxtimes$
P7.8*	Upgrading can be	e done using commonl	y available tools			$\boxtimes$
P7.9.	Spare parts are a	available after end of p	roduction for: 7 years			
P7.10	Service is availab	ole after end of product	tion for: 7 years			
	Material and sul	bstance requirements	3			
P7.11*		ousing material type:				
D7.40*	Material type: P		Material type: Material type:			
P7.12*			ower cables are halogen free (including PVC)			<u> </u>
P7.13*			gnal cables are halogen free (including PVC)			Щ.
P7.14		plastic parts >25g are	-		Щ	<u> </u>
P7.15			onents) >25g are halogen free			
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)					
P7.18		ed material in plastic pa				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury  If mercury is used specify: Number of lamps: 4 and max. mercury content per lamp: 3.5 mg					
P8	Batteries					
P8.1* P8.2*	Product does not contain batteries defined as hazardous according to 91/157/EEC					
	Battery chemical composition:					
P8.3	Batteries meet the requirements of the following voluntary program/s:					
<b>P9</b> 9.1	Energy consum		els or energy consumptions have been measured:			
Mode	Power level at * 100–120/200– 240 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard		n.a.
On-max	51W		* Speaker working	*		
On- normal	* <b>47</b> W	to	* Speaker not working	*		
On-idle	W	to	*	*		
Save 1	* <b>0.7</b> W	to	* for single signal input,when stereo mini jack is not connected	*		
Save 2	W	to	*	*		$\boxtimes$
Off 1	* 0.5 W	to	* when stereo mini jack cable is not connected	*		
Off 2	<b>0</b> W	to	* when main swich off	*		
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* kWh/y	Typical Energy Consun		*		
P9.2*	Information abou	t the energy save func	tion is provided with the product.			T
P9.3		ets the energy requirem  ® MOU Ver.4.1 Tier 2	nents of the following voluntary program/s:			

Model number *	FlexScan S2202W		
Issue date *	18 September 2008	Logo	<b>♦</b> EIZO

Product	environmental at	tributes - Market requirements (continue	d) Requirement r	net		
Item		fill in. Additional information regarding each			Yes No	n.a.
P10	Emissions		nem may be ream	4		11101
	Noise emission	n – Declared according to ISO 9296				
P10.1	Mode Mode description Declared Declared A-weighted					
	A-weighted sound pressure level L <sub>pAm</sub> (dB)					
	sound power Operator position Bystander positio level L <sub>WAd</sub> (B)			inder positions		
			iovo: Ewad (E)	Conly if	f product is not	
				Desktop one	rator attended)	
	Idlo	*	*	or Deskside		
	Idle					
	Operation	*	*			
	Other mode					
						-
	Measured accor		de FOMA 74 mil	h. I		
P10.2	The product mo	Other (only if not covere ets the acoustic noise requirements of the form		h L <sub>pAm</sub> measurement distance	m)	
F 10.2	·	· ·	ollowing voluntary	program/s.		
P10.3*		sions from printing products	if			
1 10.5	•		r specify:	□ <b>- - - - - - - - - -</b>		
P10.4	The test covers:					
F 10.4	The product meets the chemical emission requirements of the following voluntary program/s:					$\boxtimes$
P10.5		ay meets the requirement for low frequency	electromagnetic fig	alds of the following voluntary		
1 10.5	program/s: TCO		cicciromagnetic in	cias of the following voluntary		ш
P11		aterials for printing products				
P11.1*						$\boxtimes$
P11.2*	(see P4.3).  Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.2 P11.3*						
	Ergonomics for computing products					
<b>P12</b> P12.1*		ystem meets the ergonomic requirements o	f EN 20241-3 -7 -	8 for CRT displays		
1 12.1		06-2 for flat panel displays.	1 LIN 20241-0, -7,	o for orch displays		ш
P12.2*		board meets the requirements of ISO 9995	and EN 29241-4.			$\boxtimes$
P12.3*	The computer in	put device meets the requirements of ISO 9	9241-9.			
P13	Packaging and	documentation				
P13.1*		ing material type(s): Corrugated board	weight (kg):	1.57		
		ing material type(s): EPS	weight (kg):			
D40.0*		ing material type(s): PE	weight (kg):	0.05		
P13.2*	Product plastic packaging is halogen free (including PVC)				<del>  </del> -	
P13.3*	User and product documentation do not contain chlorine bleached paper				<u>Ц</u>	
P13.4*	User and product documentation contain recycled paper					
P14	Additional info					
	i nese data are w	vith Height Adjustable Stand regarding P13.				